



**american gas & chemical co. ltd.**  
 220 PEGASUS AVE  
 NORTHVALE, NEW JERSEY 07647  
 201-767-7300..FAX 201-767-1741

# Safety Data Sheet

Issue Date: 01-Mar-2004

Revision Date: 21-Apr-2022

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Fluorescent Penetrant Type I Method B,C,D (Aerosol)

### Other means of identification

**SDS #** AGC-023-2

**Product Code** AG-2-FS

**UN/ID No** UN1950

**Other Information** Package type: Aerosol.

### Recommended use of the chemical and restrictions on use

**Recommended Use** Fluorescent Penetrant for Leak Detection.

### Details of the supplier of the safety data sheet

#### Manufacturer Address

AMERICAN GAS & CHEMICAL COMPANY, LTD  
 220 Pegasus Avenue  
 Northvale NJ 07647

#### Emergency Telephone Number

**Company Phone Number** Phone: 201-767-7300 Fax: 201-767-1741

**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Yellow-green liquid **Physical State** Liquid **Odor** Mild

### Classification

Acute toxicity - Inhalation (Vapors)	Category 4
Gases Under Pressure	Compressed Gas

### Signal Word

**Danger**

### Hazard Statements

Harmful if inhaled

May be harmful if swallowed

Contains gas under pressure; may explode if heated



### Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

### Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

### Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Other Hazards

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Di-isodecyl phthalate (DIDP)	68515-49-1	70
1,1,1,2-Tetrafluoroethane	811-97-2	15
Petroleum distillates, hydrotreated middle	64742-46-7	<10

### 4. FIRST-AID MEASURES

#### First Aid Measures

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	If sprayed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If irritation persists, call physician.
<b>Skin Contact</b>	In case of contact, wash skin thoroughly with soap and water. Remove any contaminated clothing and wash before reuse.
<b>Inhalation</b>	If overcome by vapor, remove from exposure and call physician immediately. If breathing is irregular or has stopped, start resuscitation; administer oxygen, if available.
<b>Ingestion</b>	If ingested, do not induce vomiting. Call a physician immediately.

#### Most important symptoms and effects

<b>Symptoms</b>	Due to its low volatility, exposure to this material under ambient conditions is not expected to produce adverse human health effects following normal workplace exposure. Can cause slight skin irritation. May cause eye irritation. Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion of small quantities is usually non-fatal unless aspiration occurs. Aspiration may lead to chemical pneumonitis.
-----------------	--

#### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

### 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Regular foam, water fog, CO<sub>2</sub>, dry chemical.

**Unsuitable Extinguishing Media** Not determined.

#### Specific Hazards Arising from the Chemical

Product is combustible & may ignite if exposed to high temperature or direct flame. Containers may burst due to pressure build-up of contents from exposure to the heat of fire.

**Hazardous Combustion Products** Carbon oxides.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool exposed containers with water spray. Avoid breathing vapor or fumes.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

<b>Personal Precautions</b>	Remove all ignition sources. Recover free liquid. Ventilate confined spaces.
<b>For Emergency Responders</b>	Follow applicable OSHA regulations (29 CFR 1910.120).
<b>Environmental Precautions</b>	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

#### Methods and material for containment and cleaning up

<b>Methods for Containment</b>	Absorb with appropriate inert material such as sand, clay, etc.
<b>Methods for Clean-Up</b>	Sweep up absorbed material and shovel into suitable containers for disposal. Large spills may be picked up by using vacuum pumps, shovels, buckets, or other means and placed in drums or other suitable containers. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

#### Advice on Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only with adequate ventilation. Avoid contact with skin, eyes or clothing.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Store in a tightly closed container. Store in a cool, dry area away from incompatible substances. Store locked up. AEROSOL: Store in a cool dry place at temperatures below 120°F. Do not puncture or incinerate aerosol cans.

#### Incompatible Materials

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

The following information is given as general guidance

### Appropriate engineering controls

#### Engineering Controls

None under normal use conditions.

### Individual protection measures, such as personal protective equipment

#### Eye/Face Protection

Safety glasses.

#### Skin and Body Protection

Impervious rubber gloves.

#### Respiratory Protection

Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### Physical State

Liquid

#### Appearance

Yellow-green liquid

#### Color

Yellow-green

#### Odor

Mild

#### Odor Threshold

Not determined

### Property

**Note: the physical data presented below are for bulk formula specification.**

### Remarks • Method

#### pH

None

#### Melting Point/Freezing Point

Not determined

#### Boiling Point/Boiling Range

226.66°C / 480°F

#### Flash Point

122.22°C / 252°F

(ASTM D-93 / PMCC)

#### Evaporation Rate

< 0.01

(butyl acetate = 1)

#### Flammability (Solid, Gas)

Not determined

#### Upper Flammability Limits

Not determined

#### Lower Flammability Limit

Not determined

#### Vapor Pressure

0.01 mm Hg

@68°F (20°C)

#### Vapor Density

>1

(Air=1)

#### Specific Gravity

0.97-0.99

#### Water Solubility

Insoluble in water

#### Solubility in other solvents

Not determined

#### Partition Coefficient

Not determined

#### Auto-ignition Temperature

Not determined

#### Decomposition Temperature

Not determined

#### Kinematic Viscosity

Not determined

#### Dynamic Viscosity

Not determined

#### Explosive Properties

Not determined

#### Oxidizing Properties

Not determined

#### Additional Information

Percent Volatile: 95

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.**Conditions to Avoid**

Keep out of reach of children.

**Incompatible Materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**Burning can produce CO and/or CO<sub>2</sub>.**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

**Eye Contact** May cause temporary irritation on eye contact.

**Skin Contact** May cause temporary irritation on skin contact.

**Inhalation** Harmful if inhaled.

**Ingestion** May cause discomfort if swallowed.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Di-isodecyl phthalate (DIDP) 68515-49-1	> 60000 mg/kg ( Rat )	= 16000 mg/kg ( Rabbit )	-
Petroleum distillates, hydrotreated middle 64742-46-7	= 7400 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	= 4.6 mg/L ( Rat ) 4 h

**Information on physical, chemical and toxicological effects****Symptoms** Please see section 4 of this SDS for symptoms.**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity** This product contains petroleum distillates which are considered to be highly refined and not considered to be carcinogenic under IARC.**Numerical measures of toxicity** Not determined**12. ECOLOGICAL INFORMATION****Ecotoxicity****Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Di-isodecyl phthalate (DIDP) 68515-49-1	1.3: 96 h Pseudokirchneriella subcapitata mg/L EC50	0.66: 96 h Pimephales promelas mg/L LC50 static 1: 96 h Pimephales promelas mg/L LC50 flow-through 1: 96 h Oncorhynchus mykiss mg/L LC50 static 0.62: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.55: 96 h Lepomis macrochirus mg/L LC50 static		0.18: 48 h Daphnia magna mg/L EC50
Petroleum distillates, hydrotreated middle 64742-46-7		35: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Pimephales promelas mg/L LC50 static		

**Persistence/Degradability** Not determined**Bioaccumulation** Not determined**Mobility****Other Adverse Effects** Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols  
**Hazard Class** 2.2

**IATA**

**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols, non-flammable  
**Hazard Class** 2.2

**IMDG**

**UN/ID No** UN1950  
**Proper Shipping Name** Aerosols  
**Hazard Class** 2.2  
**Marine Pollutant** Not regulated

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Listed

**Legend:**

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*

**US Federal Regulations**

**SARA 313**

Not determined

**CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Di-isodecyl phthalate (DIDP) 68515-49-1 ( 50 )		X		

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Di-isodecyl phthalate (DIDP) - 68515-49-1	Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Di-isodecyl phthalate (DIDP) 68515-49-1			X

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	1	0	1	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	1	1	1	B- Safety Glasses, Gloves

Issue Date: 01-Mar-2004  
 Revision Date: 21-Apr-2022  
 Revision Note: 3-Year Update

**Disclaimer**

Information in the SDS is provided in good faith, but we assume no liability for its use or misuse. It is furnished without any warranty of merchantability or any other warranty, express or implied. We shall not be liable for any claims, losses or damages of any vendee or third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however they arise. Users must make their own investigations to determine suitability.

**End of Safety Data Sheet**