



american gas & chemical co. ltd.

220 PEGASUS AVE
NORTHVALE, NEW JERSEY 07647
201-767-7300_FAX 201-767-1741

Safety Data Sheet

Issue Date: 02-Feb-2004

Revision Date: 21-Apr-2022

Version 1

1. IDENTIFICATION

Product Identifier

Product Name FLAW-FINDER AG-DN DEVELOPER (Aerosol)

Other means of identification

SDS # AGC-005

Product Code AG-DN

UN/ID No UN1950

Other Information Package type: Aerosol.

Recommended use of the chemical and restrictions on use

Recommended Use Penetrant Developer for Leak Detection.

Details of the supplier of the safety data sheet

Manufacturer Address

AMERICAN GAS & CHEMICAL COMPANY, LTD
220 Pegasus Avenue
Northvale NJ 07647

Emergency Telephone Number

Company Phone Number Phone: 201-767-7300 Fax: 201-767-1741

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Milky liquid **Physical State** Aerosol **Odor** Slight alcoholic

Classification

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable Aerosols	Category 2
Gases Under Pressure	Compressed Gas

Signal Word

Danger

Hazard Statements

Causes serious eye irritation
May cause drowsiness or dizziness
Flammable Aerosol
Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear eye/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Do not spray on an open flame or other ignition source
Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a poison center or doctor/physician

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Protect from sunlight

Store in a cool dry place at temperatures below 120°F. Do not puncture or incinerate aerosol cans

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropanol	67-63-0	60-70
1,1,1,2-Tetrafluoroethane	811-97-2	20
Talc	14807-96-6	11

4. FIRST-AID MEASURES**First Aid Measures****General Advice**

Provide this SDS to medical personnel for treatment.

Eye Contact

If sprayed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If irritation persists, call physician.

Skin Contact

In case of contact, wash skin thoroughly with soap and water. Remove any contaminated clothing and wash before reuse.

Inhalation

If overcome by vapor, remove from exposure and call physician immediately. If breathing is irregular or has stopped, start resuscitation; administer oxygen, if available.

Ingestion

If ingested, induce vomiting. Call a physician immediately.

Most important symptoms and effects**Symptoms**

High vapor concentrations are irritating to the respiratory tract, may cause headaches and dizziness, are anesthetic and may have other central nervous system effects. Prolonged or repeated skin contact tends to remove skin oils possibly leading to irritation and dermatitis. Contact may cause eye irritation.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Foam, dry chemical, CO₂, water spray or fog.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. Closed containers may explode due to buildup of pressure when exposed to extreme heat.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool exposed containers with water spray. Avoid breathing vapor or fumes.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Remove all ignition sources. Recover free liquid. Ventilate confined spaces.

For Emergency Responders

Follow applicable OSHA regulations (29 CFR 1910.120).

Environmental Precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up**Methods for Containment**

Absorbent such as sand, sawdust, etc. to spill area.

Methods for Clean-Up

Use only non-sparking tools. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Keep container tightly closed. Do not breathe dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. Use spark-proof tools and explosion-proof equipment. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Take precautionary measures against static discharges. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep containers closed when not in use. Do not handle or store near heat, sparks, flame or strong oxidants. Store locked up. Protect from sunlight. AEROSOL: Store in a cool dry place at temperatures below 120F. Do not puncture or incinerate aerosol cans.

Incompatible Materials

Strong oxidizing agents, Strong caustics.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Talc 14807-96-6	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	(vacated) TWA: 2 mg/m ³ respirable dust <1% Crystalline silica, containing no Asbestos TWA: 20 mppcf if 1% Quartz or more, use Quartz limit	IDLH: 1000 mg/m ³ TWA: 2 mg/m ³ containing no Asbestos and <1% Quartz respirable dust

Appropriate engineering controls

Engineering Controls

VENTILATION: Use with ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations of vapor in air. No smoking or open lights.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Use splash goggles or face shield when contact may occur.

Skin and Body Protection

Use chemical-resistant gloves, if needed, to avoid prolonged or repeated skin contact. Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing which could result in prolonged or repeated skin contact.

Respiratory Protection

Use supplied-air respiratory protection in confined or enclosed spaces.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Aerosol		
Appearance	Milky liquid	Odor	Slight alcoholic
Color	Milky	Odor Threshold	Not determined
Property	Note: the physical data presented below are for bulk formula specification.	Remarks • Method	
pH	2.2-2.8		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	100°C / 212°F		
Flash Point	11.66°C / 53°F		
Evaporation Rate	< 1	(Water = 1)	
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	12.0%		
Lower Flammability Limit	2.0%		
Vapor Pressure	30mm Hg	@68°F (20°C)	
Vapor Density	> 1.0	(Air=1)	
Specific Gravity	0.96		
Water Solubility	Dispersible		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents, Strong caustics.

Hazardous Decomposition Products

Incomplete combustion may produce carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes serious eye irritation.
Skin Contact	May cause temporary irritation on skin contact.
Inhalation	May cause irritation if inhaled. May cause drowsiness or dizziness.
Ingestion	May cause discomfort if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropanol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h
1,1,1,2-Tetrafluoroethane 811-97-2	-	-	= 1500 g/m ³ (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGI	IARC	NTP	OS
Isopropanol 67-63-0		Group 3		X
Talc 14807-96-6		Group 3		

*IARC (International Agency for Research on Cancer)
Group 3 IARC components are "not classifiable as human carcinogens"
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present*

STOT - single exposure May cause drowsiness or dizziness.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50
Talc 14807-96-6		100: 96 h Brachydanio rerio g/L LC50 semi-static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Isopropanol 67-63-0	0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropanol 67-63-0	Toxic Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN1950
 Proper Shipping Name Aerosols
 Hazard Class 2.1

IATA

UN/ID No UN1950
 Proper Shipping Name Aerosols, flammable
 Hazard Class 2.1

IMDG

UN/ID No UN1950
 Proper Shipping Name Aerosols
 Hazard Class 2.1

15. REGULATORY INFORMATION**International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	67-63-0	60-70	1.0

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropanol 67-63-0	X	X	X
Talc 14807-96-6	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	1	3	0	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	3	0	B- Safety Glasses, Gloves

Issue Date: 02-Feb-2004
 Revision Date: 21-Apr-2022
 Revision Note: 3-Year Update

Disclaimer

Information in the SDS is provided in good faith, but we assume no liability for its use or misuse. It is furnished without any warranty of merchantability or any other warranty, express or implied. We shall not be liable for any claims, losses or damages of any vendee or third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however they arise. Users must make their own investigations to determine suitability.

End of Safety Data Sheet