

Issue Date: 01-Feb-2002

Revision Date: 21-Apr-2022

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Gaztec IIIB

Other means of identification

SDS # AGC-032

Product Code GAZTEC IIIB

Other Information Package type: Poly bottles, 5 gallon pails, 55 gallon drums.

Recommended use of the chemical and restrictions on use

Recommended Use Leak Detection Bubble Fluid.

Details of the supplier of the safety data sheet

Manufacturer Address

AMERICAN GAS & CHEMICAL COMPANY, LTD
 220 Pegasus Avenue
 Northvale NJ 07647

Emergency Telephone Number

Company Phone Number Phone: 201-767-7300 Fax: 201-767-1741
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear red liquid

Physical State Liquid

Odor Odorless

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Unknown Acute Toxicity

1.068% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-----------------------------------|------------|----------|
| Propylene Glycol | 57-55-6 | <50 |
| Sodium dodecyl benzene sulphonate | 25155-30-0 | <5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

- Eye Contact** Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention.
- Skin Contact** Wash with soap and water.
- Inhalation** Remove to fresh air.
- Ingestion** Induce vomiting, but only if victim is fully conscious. Call a physician.

Most important symptoms and effects

Symptoms Direct contact with eyes may cause temporary irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Non-flammable solution.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid prolonged or repeated contact with skin. Do not get in eyes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------------------|-------------------------------|---|---|
| Isopropyl alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³ |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Wear suitable gloves.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-------------------------------------|------------------|-------------------------|----------------|
| Physical State | Liquid | Odor | Odorless |
| Appearance | Clear red liquid | Odor Threshold | Not determined |
| Color | Red | | |
| Property | Values | Remarks • Method | |
| pH | 7.5-8.5 | | |
| Melting Point/Freezing Point | Not determined | | |
| Boiling Point/Boiling Range | 100°C / 212°F | | |
| Flash Point | None | | |
| Evaporation Rate | <1 | (Water = 1) | |
| Flammability (Solid, Gas) | n/a-liquid | | |
| Upper Flammability Limits | None | | |
| Lower Flammability Limit | None | | |
| Vapor Pressure | 17.5 mm Hg | @ 20°C (68°F) | |
| Vapor Density | >1 | (Air=1) | |
| Specific Gravity | 1.01-1.05 | | |
| Water Solubility | Soluble in water | | |
| Solubility in other solvents | Not determined | | |
| Partition Coefficient | Not determined | | |
| Auto-ignition Temperature | Not determined | | |
| Decomposition Temperature | Not determined | | |
| Kinematic Viscosity | Not determined | | |
| Dynamic Viscosity | Not determined | | |
| Explosive Properties | Not determined | | |
| Oxidizing Properties | Not determined | | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|----------------------------------|
| Eye Contact | Avoid contact with eyes. |
| Skin Contact | Avoid contact with skin. |
| Inhalation | Avoid breathing vapors or mists. |
| Ingestion | Do not taste or swallow. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-----------------------|---|-------------------------|
| Propylene Glycol 57-55-6 | = 20000 mg/kg (Rat) | = 20800 mg/kg (Rabbit) | - |
| Isopropyl alcohol 67-63-0 | = 4396 mg/kg (Rat) | = 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit) | = 72.6 mg/L (Rat) 4 h |
| Sodium dodecyl benzene sulphonate 25155-30-0 | = 438 mg/kg (Rat) | - | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 1.068% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--|--|--|----------------------------|--|
| Propylene Glycol 57-55-6 | 19000: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50 | | 10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static |
| Isopropyl alcohol 67-63-0 | 1000: 96 h Desmodemus subspicatus mg/L EC50 1000: 72 h Desmodemus subspicatus mg/L EC50 | 9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 | | 13299: 48 h Daphnia magna mg/L EC50 |
| Sodium dodecyl benzene sulphonate 25155-30-0 | | 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static | | |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---|--------------------------|----------------|---|
| Sodium dodecyl benzene sulphonate 25155-30-0 | 1000 lb | | RQ 1000 lb final RQ RQ 454 kg final RQ |

SARA 313

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-------------------|---------|----------|-------------------------------|
| Isopropyl alcohol | 67-63-0 | 1.556 | 1.0 |

CWA (Clean Water Act)

| Component | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--|-----------------------------|------------------------|---------------------------|----------------------------|
| Sodium dodecyl benzene sulphonate 25155-30-0 (<5) | 1000 lb | | | X |

US State Regulations

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Propylene Glycol 57-55-6 | X | | X |
| Isopropyl alcohol 67-63-0 | X | X | X |
| Sodium dodecyl benzene sulphonate 25155-30-0 | X | X | X |

16. OTHER INFORMATION

| | | | | |
|--------------------|-----------------------|---------------------|-------------------------|----------------------------|
| <u>NFPA</u> | Health Hazards | Flammability | Instability | Special Hazards |
| | 0 | 0 | 0 | Not determined |
| <u>HMIS</u> | Health Hazards | Flammability | Physical Hazards | Personal Protection |
| | 1 | 0 | 0 | B |

Issue Date: 01-Feb-2002
Revision Date: 21-Apr-2022
Revision Note: 3-Year Update

Disclaimer

Information in the SDS is provided in good faith, but we assume no liability for its use or misuse. It is furnished without any warranty of merchantability or any other warranty, express or implied. We shall not be liable for any claims, losses or damages of any vendee or third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, however they arise. Users must make their own investigations to determine suitability.

End of Safety Data Sheet