AGC-249 - LEAK-TEC N727C

Safety Data Sheet

Revision Date: 21-Apr-2022

american gas & chemical co. ltd.

220 PEGASUS AVE NORTHYALE, NEW JERSEY 07647 Issue Date: 1-76 D 10 Feb 20 20 20 21 Revision Date: 21-Apr-2022 Version 1

1. IDENTIFICATION

Product Identifier

Product Name LEAK-TEC N727C

Other means of identification

SDS # AGC-249 Product Code N727C

Other Information Package type: Poly bottles and 55 gallon drums.

Recommended use of the chemical and restrictions on use

Recommended Use Leak Detection Bubble Fluid - Oxygen Systems.

Details of the supplier of the safety data sheet

Manufacturer Address AMERICAN GAS & CHEMICAL COMPANY, LTD

220 Pegasus Avenue Northvale NJ 07647

Emergency Telephone Number

Company Phone Number Phone: 201-767-7300 Fax: 201-767-1741 Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

		2. HAZARDS IDENTIFICATION	
Appearance	Clear yellow liquid	Physical State Liquid	Odor Odorless

Classification

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1B

Signal Word

Danger

Hazard Statements

May cause genetic defects

May cause cancer

May damage fertility or the unborn child

<u>Precautionary Statements - Prevention</u>

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

<u>Precautionary Statements - Response</u>

If exposed or concerned: Get medical advice/attention

<u>Precautionary Statements - Storage</u>

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS				
Chemical Name CAS No Weight-%				
Sodium chromate 7775-11-3 0.15				

4. FIRST-AID MEASURES
First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact If splashed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If

irritation persists, call physician.

Skin Contact In case of contact, wash skin thoroughly with soap and water. Remove any contaminated

clothing and wash before reuse.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist.

Induce vomiting, but only if victim is fully conscious. Call a physician or poison control

center immediately.

Most important symptoms and effects

Symptoms Irritation by inhalation, eye / skin contact.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool exposed containers with water spray. Avoid breathing vapor or fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all ignition sources. Recover free liquid. Ventilate confined spaces.

For Emergency Responders Follow applicable OSHA regulations (29 CFR 1910.120).

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Absorbent such as sand, sawdust, etc. to spill area.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal. Discard any

product, residue, disposable container or liner in full compliance with federal, state, and

local regulations. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes or clothing. Use personal protection

recommended in Section 8.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

uр.

Incompatible Materials Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium chromate	TWA: 0.05 mg/m ³ Cr	TWA: 5 μg/m³ (vacated) Ceiling: 0.1 mg/m³	IDLH: 15 mg/m ³ Cr(VI)
7775-11-3		Ceiling: 0.1 mg/m ³ CrO3 applies to any	TWA: 0.001 mg/m ³ Cr
		operations or sectors for which the Hexavalent	
		Chromium standard [29 CFR 1910.1026] is	
		stayed or is otherwise not in effect	

Appropriate engineering controls

Engineering ControlsApply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Chemical impervious and non-slip gloves.

Respiratory Protection Use supplied-air respiratory protection in confined or enclosed spaces. **General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear yellow liquidOdorOdorlessColorClear yellowOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 6.5-8.0

Melting Point/Freezing Point

Boiling Point/Boiling Range

Not determined
101.67°C / 215°F

Flash Point None

Evaporation Rate <1 (Water = 1)

Flammability (Solid, Gas)
Upper Flammability Limits
Not determined
Not determined
Not determined

Vapor Pressure 17.5 mm Hg @ 68°F (20°C)

Vapor Density >1 (Air=1) Specific Gravity 1.00-1.02

Water Solubility Soluble in water Not determined Solubility in other solvents **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions

<u>Chemical Stability</u> Stable under recommended storage conditions

 Possibility of Hazardous Reactions
 None under normal processing

 Conditions to Avoid
 Keep out of reach of children

Incompatible Materials Reducing agent

<u>Hazardous Decomposition Products</u> None known based on information supplied

AGC-249 - LEAK-TEC N727C Revision Date: 21-Apr-2022

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact May cause temporary irritation on eye contact. **Skin Contact** May cause temporary irritation on skin contact.

InhalationMay cause irritation if inhaled.IngestionMay cause discomfort if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium chromate 7775-11-3	= 51.91 mg/kg (Rat)	= 1600 mg/kg (Rabbit)	= 0.104 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium chromate 7775-11-3	A1	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity May damage fertility or the unborn child.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium chromate		3: 96 h Pimephales promelas		0.031 - 0.044: 72 h Daphnia
7775-11-3		mg/L LC50 118: 96 h		magna mg/L EC50 0.0183 -
		Lepomis macrochirus mg/L LC50		0.023: 48 h Daphnia magna
		static		mg/L EC50 Static

Persistence/DegradabilityNot determinedBioaccumulationNot determined

Mobility

Other Adverse Effects Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Sodium chromate 7775-11-3	Toxic Corrosive Ignitable	

AGC-249 - LEAK-TEC N727C Revision Date: 21-Apr-2022

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOTNot regulatedIATANot regulatedIMDGNot regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium chromate	10 lb		RQ 10 lb final RQ
7775-11-3			RQ 4.54 kg final RQ

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Sodium chromate - 7775-11-3	7775-11-3	0.15	0.1

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium chromate 7775-11-3 (0.15)	10 lb	X		X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Sodium chromate - 7775-11-3	Carcinogen Developmental Female Reproductive Male Reproductive

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium chromate	X	×	X
///5-11-3			

AGC-249 - LEAK-TEC N727C Revision Date: 21-Apr-2022

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards100Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection100B- Safety Glasses,

Gloves

Issue Date:01-Feb-2002Revision Date:21-Apr-2022Revision Note:3-Year Update

Disclaimer

Information in the SDS is provided in good faith, but we assume no liability for its use or misuse. It is furnished without any warranty of merchantability or any other warranty, express or implied. We shall not be liable for any claims, losses or damages of any vendee or third party or for lost profits or any special, indirect, incidental, consequential of exemplary damages, however they arise. Users must make their own investigations to determine suitability.

End of Safety Data Sheet